

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

Diagnosis: ABUSE OR DEPENDENCE OF PSYCHOACTIVE SUBSTANCE
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 291.1, 303.9, 304, 305.0, 305.2-305.9
CPT: 90801-90829, 90846-90862, 90882, 90887, 96101, 97810-97814, 99051, 99060, 99201-99255
HCPCS: H0001, H0002, H0004, H0005, H0006, H0012, H0016, H0020, H0031, H0033, H0034, H0035, H0048, H2010, H2013, H2033, H2035, T1006, T1013, T1016, T1502
Line: 5

Diagnosis: TOBACCO DEPENDENCE (See Guideline Notes 1,4)
Treatment: MEDICAL THERAPY/BRIEF COUNSELING NOT TO EXCEED 10 FOLLOW-UP VISITS OVER 3 MONTHS
ICD-9: 305.1
CPT: 96150-96154, 97810-97814, 99071, 99078, 99201-99215, 99372
HCPCS: D1320, G9016, S9075, S9453
Line: 6

Diagnosis: MAJOR DEPRESSION, RECURRENT
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 296.30-296.36, 298.0
CPT: 90801-90829, 90846-90862, 90870, 90882, 90887, 96101, 99051, 99060, 99201-99255, 99304-99318
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023
Line: 9

Diagnosis: SCHIZOPHRENIC DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 295.1-295.9, 298.4, 299.1, 299.9
CPT: 90801-90829, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99255, 99304-99318
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023
Line: 27

Diagnosis: BIPOLAR DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 296.0-296.1, 296.4-296.8, 296.99, 301.13
CPT: 90801-90829, 90846-90862, 90870, 90882, 90887, 96101, 99051, 99060, 99201-99255, 99304-99318
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023
Line: 32

Diagnosis: SUBSTANCE-INDUCED DELUSIONAL AND MOOD DISORDERS; INTOXICATION
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 291.3-291.5, 291.9, 292.1-292.2, 292.89, 292.9, 303.0
CPT: 90801-90829, 90846-90862, 90882, 90887, 96101, 99051, 99060, 97810-97814, 99201-99255
HCPCS: H0001, H0002, H0004, H0005, H0016, H0020, H0031, H0033, H0034, H0035, H0048, H2013, T1006, T1013, T1016
Line: 67

Diagnosis: BORDERLINE PERSONALITY DISORDER
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 301.83
CPT: 90801-90807, 90810-90813, 90816-90827, 90846, 90847, 90853-90862, 90882, 90887, 96101, 99051, 99060, 99201-99255
HCPCS: G0176, G0177, H0002, H0004, H0018, H0019, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, H2033, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023
Line: 108

Diagnosis: ATTENTION DEFICIT DISORDERS WITH HYPERACTIVITY OR UNDIFFERENTIATED (See Guideline Note 20)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 314
CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99251-99255
HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2027, H2032, S5151, S9125, S9484, T1005, T1013, T1016, T1023
Line: 134

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

Diagnosis: POSTTRAUMATIC STRESS DISORDER (See Guideline Note 25)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 309.81,995.52-995.54
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 181

Diagnosis: CHRONIC ORGANIC MENTAL DISORDERS INCLUDING DEMENTIAS (Guideline Note 1)
Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION
ICD-9: 290,291.2,292.82-292.84,293.8,294,299.00,299.10,299.8,310.1
CPT: 90801,90804-90807,90816-90819,90823-90827,90846-90853,90862,90882,90887,96101,96118,96150-96154,99051,99060,99201-99255,99304-99318
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023
Line: 210

Diagnosis: DEPRESSION AND OTHER MOOD DISORDERS, MILD OR MODERATE (See Guideline Note 28)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 296.2,296.90,298.0,311
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 213

Diagnosis: PATHOLOGICAL GAMBLING (Note: This line is not priced as part of the list as funding comes from non-OHP sources.)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 312.31
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-99255
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023
Line: 223

Diagnosis: PSYCHOLOGICAL FACTORS AGGRAVATING PHYSICAL CONDITION (EG. ASTHMA, CHRONIC GI CONDITIONS, HYPERTENSION)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 316
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-99255
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9484,T1005,T1013,T1016,T1023
Line: 269

Diagnosis: OTHER PSYCHOTIC DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 297.3,298.1-298.3,298.9,299.8
CPT: 90801-90815,90821,90822,90828,90829,90846-90862,90882,90887,96101,99051,99060,99201-99255
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 294

Diagnosis: ANOREXIA NERVOSA
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.1
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 304

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

Diagnosis: ACUTE STRESS DISORDER
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 308
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,99060,99201-99255
HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2021,H2022,H2023,H2027,H2032,H2033,S5151,S9125,S9484,T1005,T1013,T1016,T1023
Line: 315

Diagnosis: CONVERSION DISORDER, CHILD
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.11
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-99255
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S9484,T1013,T1016,T1023
Line: 387

Diagnosis: SOMATIZATION DISORDER; SOMATOFORM PAIN DISORDER
Treatment: CONSULTATION/BEHAVIORAL MANAGEMENT
ICD-9: 300.7,300.81-300.82,300.9,306,307.80,307.89
CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96101,99051,99060,99201-99215,99241-99245
HCPCS: H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0037,H0038,H2010,H2021,H2022,H2023,H2027,H2033,S9484,T1013,T1016,T1023
Line: 395

Diagnosis: BULIMIA NERVOSA
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.51,307.54
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2010,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 409

Diagnosis: SEPARATION ANXIETY DISORDER
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 309.21
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,99060,99201-99215,99241-99245
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,H2033,S9484,T1005,T1013,T1016,T1023
Line: 412

Diagnosis: PANIC DISORDER; AGORAPHOBIA
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.01,300.21-300.22
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,99060,99201-99255
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 414

Diagnosis: EATING DISORDER NOS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.50,307.54,307.59
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 421

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

Diagnosis: DISSOCIATIVE DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.12-300.15,300.6
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,
H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,
S9125,S9480,S9484,T1005,T1013,T1016,T1023
Line: 426

Diagnosis: SCHIZOTYPAL PERSONALITY DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 295.0,301.22
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,
99060,99201-99255
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,
H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,
S9480,S9484,T1005,T1013,T1016,T1023
Line: 431

Diagnosis: OPPOSITIONAL DEFIANT DISORDER (See Guideline Note 42)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 312.9,313.81
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-
99255
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0036,H0037,H0038,
H0039,H0045,H2010,H2011,H2012,H2014,H2021,H2022,H2027,H2032,H2033,S5151,S9125,S9480,
S9484,T1005,T1013,T1016,T1023
Line: 439

Diagnosis: CHRONIC DEPRESSION (DYSTHYMIA)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.4-300.5
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,
99060,99201-99215,99241-99245
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H2010,H2011,
H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S9480,S9484,T1013,T1016,T1023
Line: 451

Diagnosis: STEREOTYPY/HABIT DISORDER AND SELF-ABUSIVE BEHAVIOR DUE TO NEUROLOGICAL DYSFUNCTION
(Guideline Note 1)
Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION
ICD-9: 307.3
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,96150-
96154,99051,99060,99201-99215,99241-99245
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H2010,H2011,
H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9125,S9480,S9484,T1013,T1016,T1023
Line: 456

Diagnosis: ADJUSTMENT DISORDERS (See Coding Specification Below) (See Guideline Note 45)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 309.0,309.1,309.23-309.29,309.3-309.4,309.82,309.83,309.89,309.9,V61.20,V62.82
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,
99060,99201-99215,99241-99245
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,
H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S5151,S9125,S9484,T1005,T1013,
T1016,T1023
Line: 462

ICD-9-CM codes V61.20, Counseling for Parent-Child Problem, Unspecified, and V62.82, Bereavement, Uncomplicated, are only included in this line when identified as secondary diagnoses with a primary diagnosis of 309.89, Other Specified Adjustment Reactions.

Diagnosis: TOURETTE'S DISORDER AND TIC DISORDERS (Guideline Note 1)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.2
CPT: 58957-58958,90801-90807,90810-90813,90846-90862,90882,90887,96101,96150-96154,99051,
99060,99201-99215,99241-99255
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H2010,H2011,H2012,
H2013,H2014,H2021,H2022,H2027,H2032,S9484,T1013,T1016,T1023
Line: 464

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

Diagnosis: REACTIVE ATTACHMENT DISORDER OF INFANCY OR EARLY CHILDHOOD

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.89

CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255

HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,
H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,
T1005,T1013,T1016,T1023

Line: 467

Diagnosis: FACTITIOUS DISORDERS

Treatment: CONSULTATION

ICD-9: 300.16,300.19,301.51

CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96101,
99051,99060,99201-99215,99241-99245

HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H2010,H2011,H2013,H2021,H2022,
H2033,S9484,T1013,T1016,T1023

Line: 472

Diagnosis: SIMPLE AND SOCIAL PHOBIAS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.23,300.29

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,
99060,99201-99215,99241-99245

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2010,H2011,
H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S9484,T1013,T1016,T1023

Line: 475

Diagnosis: OBSESSIVE-COMPULSIVE DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.3

CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-
99255

HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,
H0045,H2011,H2010,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9480,S9484,T1005,
T1013,T1016,T1023

Line: 479

Diagnosis: OVERANXIOUS DISORDER; GENERALIZED ANXIETY DISORDER; ANXIETY DISORDER, UNSPECIFIED

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.00,300.02-300.09,307.46,313.0

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,
99060,99201-99215,99241-99245

HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,
H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S5151,S9125,
S9484,T1005,T1013,T1016,T1023

Line: 480

Diagnosis: FUNCTIONAL ENCOPIRESIS (Guideline Note 1)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.7

CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,
99060,99201-99255

HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,
H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,
T1005,T1013,T1016,T1023

Line: 487

Diagnosis: SELECTIVE MUTISM

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.23

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,
99060,99201-99215,99241-99245

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2010,H2011,
H2012,H2014,H2021,H2022,H2027,H2032,H2033,S9484,T1013,T1016,T1023

Line: 491

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

Diagnosis: CONDUCT DISORDER, AGE 18 OR UNDER (See Guideline Note 54)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 312.0-312.2, 312.4, 312.8
CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99255
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2014, H2021, H2022, H2023, H2027, H2032, H2033, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023
Line: 500

Diagnosis: CONVERSION DISORDER, ADULT
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.10-300.11
CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99255
HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H2010, H2011, H2013, H2014, H2021, H2022, H2023, H2027, H2032, S9484, T1013, T1016, T1023
Line: 511

Diagnosis: GENDER IDENTIFICATION DISORDER, PARAPHILIAS AND OTHER PSYCHOSEXUAL DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 302.0-302.4, 302.50, 302.6, 302.85, 302.9
CPT: 90801-90807, 90810-90813, 90846, 90847, 90849, 90853, 90857, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99245
HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0034, H0035, H2010, H2011, H2014, H2027, H2032, H2033, S9484, T1013, T1016, T1023
Line: 514

Diagnosis: SEXUAL DYSFUNCTION
Treatment: PSYCHOTHERAPY, MEDICAL AND SURGICAL TREATMENT
ICD-9: 302.7, 607.84
CPT: 54400-54417, 90801-90807, 90810-90813, 90846, 90847, 90849, 90853, 90857, 90862, 90882, 90887, 93980-93981, 99024, 99051, 99060, 99070, 99078, 99201-99362, 99374-99375, 99379-99440
HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0033, H0034, H0035, H0038, H2011, H2014, H2027, H2032, S9484, T1013, T1016, T1023
Line: 534

Diagnosis: DELUSIONAL DISORDER
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 297.0-297.2, 297.8-297.9
CPT: 90801-90829, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99255, 99304-99318
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H0045, H2011, H2012, H2013, H2014, H2010, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023
Line: 536

Diagnosis: IMPULSE DISORDERS EXCLUDING PATHOLOGICAL GAMBLING (See Guideline Note 58)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 312.32-312.39
CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99255
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2013, H2014, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9484, T1005, T1013, T1016, T1023
Line: 560

Diagnosis: SHYNESS DISORDER OF CHILDHOOD OR ADOLESCENCE
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 313.21-313.22
CPT: 90801-90807, 90810-90813, 90846, 90847, 90849, 90853, 90857, 90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99245
HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H2010, H2011, H2012, H2014, H2021, H2022, H2027, H2032, H2033, S9484, T1013, T1016, T1023
Line: 566

Diagnosis: RUMINATION DISORDER OF INFANCY
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.53
CPT: 90816-90819, 90823-90827, 90846-90849, 90887, 99051, 99060, 99217-99239, 99251-99255
HCPCS: H0035, H0038, H2011, H2027, S9125, S9484
Line: 578

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

Diagnosis: ANTI-SOCIAL PERSONALITY DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 301.7

CPT: 90801,90804-90807,90846-90853,90882,90887,96101,99051,99060,99201-99215,99241-99245

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H2010,H2011,H2014,H2027,H2032,S9484,T1013,
T1016,T1023

Line: 598

Diagnosis: PERSONALITY DISORDERS EXCLUDING BORDERLINE, SCHIZOTYPAL AND ANTI-SOCIAL

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 301.0,301.10-301.12,301.20-301.21,301.3-301.4,301.50,301.59,301.6,301.81-301.82,
301.84,301.89,301.9

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,
99060,99201-99215,99241-99245

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2010,
H2011,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S5151,S9484,T1005,T1013,T1016,T1023

Line: 601

Diagnosis: PICA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.52

CPT: 90801-90807,90810-90813,90846-90857,90882,90887,96101,99051,99060,99201-99215,99241-
99255

HCPCS: G0177,H0002,H0004,H0031,H0032,H0034,H0035,H2010,T1013,T1016,T1023

Line: 650

Diagnosis: MENTAL DISORDERS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY

Treatment: EVALUATION

ICD-9: 313.1,313.3,313.82-313.83

CPT: 99201-99215

HCPCS: T1023

Line: 669

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

GUIDELINE NOTE 4, TOBACCO DEPENDENCE

Line 6

Persons are eligible for tobacco dependence counseling if a documented quit date has been established.

GUIDELINE NOTE 20, ATTENTION DEFICIT AND HYPERACTIVITY DISORDERS IN EARLY CHILDHOOD

Line 134

When using 314.9, Unspecified Hyperkinetic Syndrome, in children age 5 and under, it is appropriate only when the following apply:

- Child does not meet the full criteria for the full diagnosis because of their age.
- For children age 3 and under, when the child exhibits functional impairment due to hyperactivity that is clearly in excess of the normal activity range for age (confirmed by the evaluating clinician's observation, not only the parent/caregiver report), and when the child is very limited in his/her ability to have the sustained periods of calm, focused activity which would be expected for the child's age.

For children age 3 and under, it is especially important that psychosocial interventions, including parent skills training and/or parent-child therapy, and environmental modifications, be tried prior to medication. For children over the age of 3, psychosocial interventions are important, whether the child is on medications or not.

Use of 314.9 for children age five and younger is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Group therapy: 90853, 90857, H2032
- Medication management: 90862
- Case Management: 90882, T1016
- Interpreter Service: T1013

GUIDELINE NOTE 28, MOOD DISORDERS IN EARLY CHILDHOOD

Line 213

The use of 296.90, Unspecified Episodic Mood Disorder, is appropriate only when the following apply:

- For children five years old and under.
- In the presence of significant difficulty with emotional regulation that causes functional impairment.

Use of 296.90 for children five years old and under is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual Counseling and Therapy: 90810, 90812, H0004
- Group therapy: 90853, 90857, H2032
- Medication management: 90862
- Case Management: 90882, T1016
- Interpreter Service: T1013

GUIDELINE NOTE 42, DISRUPTIVE BEHAVIOR DISORDERS IN EARLY CHILDHOOD

Line 439

The use of 312.9, Unspecified Disturbance of Conduct, is appropriate only for children five years old and under who display sustained patterns of disruptive behavior beyond what is developmentally appropriate.

- Interventions should prioritize parent skills training in effective behavior management strategies or focus on other relational issues.

Use of 312.9 is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual Counseling and Therapy: 90810, 90812, H0004
- Group therapy: 90853, 90857, H2032
- Case Management: 90882, T1016
- Interpreter Service: T1013
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

GUIDELINE NOTE 45, ADJUSTMENT REACTIONS IN EARLY CHILDHOOD

Line 462

The use of V61.20, Counseling for Parent-Child Problem, Unspecified, must involve all of the following:

- Child must be five years of age or younger.
- Clinically significant impact on the child.
- Rating of 40 or below on the PIR-GAS (Parent-Infant Relationship Global Assessment Scale).

V62.82, Bereavement, Uncomplicated, is only included in this line when identified as a secondary diagnosis with a primary diagnosis of ICD-9-CM 309.89, Other Specified Adjustment Reactions. The use of V62.82 is only appropriate when a child birth through five years old exhibits a change in functioning subsequent to the loss of a primary caregiver, exhibits at least three of the following eight symptoms AND symptoms are present for most of the day, for more days than not, for at least 2 weeks:

- Crying, calling and/or searching for the absent primary caregiver;
- Refusing attempts of others to provide comfort;
- Emotional withdrawal manifesting in lethargy, sad facial expression, and lack of interest in age-appropriate activities that do not meet mood disorder criteria;
- Disruptions in eating and sleeping that do not meet criteria for feeding and eating disorders of infancy or early childhood;
- Regression in or loss of previously achieved developmental milestones not attributable to other health or mental health conditions;
- Constricted range of affect not attributable to a mood disorder or PTSD;
- Detachment, seeming indifference toward, or selective "forgetting" of the lost caregiver and/or of reminders of the lost caregiver;
- Acute distress or extreme sensitivity in response to any reminder of the caregiver or to any change in a possession, activity, or place related to the lost caregiver.

Intervention should include persons significantly involved in the child's care and include psychoeducation and developmentally specific guidance.

V61.20 and V62.82, used as secondary diagnosis codes to 309.89, in children age five and younger are limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Group therapy: 90853, 90857, H2032
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005,
- Case Management: 90882, T1016
- Interpreter Service: T1013
- For V62.82, Individual counseling and therapy: 90810, 90812
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

309.89, Other Specified Adjustment Reactions, may be used in children age five and younger when the child demonstrates some symptoms of PTSD (such as disruption of his or her usual sleeping or eating patterns, or more increased irritability / lower frustration tolerance) but does not meet the full criteria for PTSD or any other disorder.

- Cessation of the traumatic exposure must be the first priority.
- Infants and toddlers may benefit from parental guidance regarding management of the child's symptoms, guidance around enhancing safety and stability in the child's environment, and therapeutic support for the parents.

Use of 309.89 in children age 5 and under, without a secondary diagnosis of V61.20 or V62.82, is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual counseling and therapy: 90810, 90812
- Group therapy: 90853, 90857, H2032
- Case Management: 90882, T1016
- Interpreter Service: T1013
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

GUIDELINE NOTE 54, CONDUCT DISORDER

Line 500

Conduct disorder rarely occurs in isolation from other psychiatric diagnosis, the patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
January 1, 2008

GUIDELINE NOTE 58, IMPULSE DISORDERS

Line 560

Impulse disorders rarely occur in isolation from other psychiatric diagnosis, thus the Patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).